

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONIER FOR PATE:NTS P.O. Box 1459 100 Depart Virginia, 22113-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/629,568	07/30/2003	Hideo Kawamoto		6473	
7590 12/11/2003			EXAMINER		
	, STANGER & MAL	FISHMAN, MARINA			
Suite 370 1800 Diagonal	Rd.		ART UNIT	PAPER NUMBER	
Alexandria, VA 22314			2832		
			DATE MAILED: 12/11/2003	3	

Please find below and/or attached an Office communication concerning this application or proceeding.

	App	olication No.	Applicant(s)				
Office Action Summary		629,568	KAWAMOTO ET	AL.			
		miner	Art Unit				
	Mar	ina Fishman	2832				
The MAILING DATE of this	communication appears	on the cover sheet	with the correspondence a	ddress			
Period for Reply							
A SHORTENED STATUTORY PET THE MAILING DATE OF THIS CO. Extensions of time may be available under the after Sty. (s) MONTHS from the mailing date. If the period for reply specified above, the result of the period for reply specified above, the result of the period for reply is pecified above, the result of the period for reply is pecified above, the result in the period for reply is pecified above, the result in the period for reply is pecified above, the result in the period for the period for the period for reply is period for the period for reply is period for the period for the period for reply is period for the period for the period for reply is period for the period	DMMUNICATION. e provisions of 37 CFR 1.136(a). of this communication. han thirty (30) days, a reply within naximum statutory period will appl oof for reply will, by statute, cause se months after the mailing date o	in no event, however, may the statutory minimum of y and will expire SIX (6) N the application to become	a reply be timely filed thirty (30) days will be considered time (ONTHS from the mailing date of this, ABANDONED (35 U.S.C. 8 133).	ely. communication.			
1) Responsive to communicati	on(s) filed on 30 July 20	<u>103</u> .					
2a) ☐ This action is FINAL.	2b)⊠ This actio	n is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1-9</u> is/are pending	in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-9</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject	to restriction and/or elec	tion requirement.					
Application Papers							
9)⊠ The specification is objected	to by the Examiner.						
10)⊠ The drawing(s) filed on <u>30 J</u>							
Applicant may not request that	. ,						
Replacement drawing sheet(s)	•						
11) The oath or declaration is ob		er. Note the attacl	ned Office Action or form P	10-152.			
Priority under 35 U.S.C. §§ 119 and							
12)⊠ Acknowledgment is made o a)⊠ All b)□ Some * c)□ N		nty under 35 U.S.	C. § 119(a)-(d) or (f).				
1. Certified copies of the		e been received.					
2. Certified copies of the							
Copies of the certified application from the limits	i copies of the priority do iternational Bureau (PC		en received in this Nationa	Stage			
* See the attached detailed Off	ice action for a list of the	certified copies n					
13) Acknowledgment is made of since a specific reference was 37 CFR 1.78.							
a) The translation of the fo							
14) Acknowledgment is made of a reference was included in the							
Attachment(s)							
1) Notice of References Cited (PTO-892)			w Summary (PTO-413) Paper No				
Notice of Draftsperson's Patent Drawing Morice of Draftsperson's Patent Drawing Morice of Draftsperson's Patent Drawing Notice of Draftsperson's Patent Drawing Notice of Draftsperson's Patent Drawing		5) Notice (6) Other:	of Informal Patent Application (PT	O-152)			

Art Unit: 2832

DETAILED ACTION

General Status

1. This is a First Action on the Merits. Claims 1-9 are pending in the case and are being examined.

Priority

 Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: Numeral 611, described in the specification as an operating section.

Figure 5 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g).

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Specification

4. The disclosure is objected to because of the following informalities:

Page 10, line 1, 'rotates' should be added before -CCW--; line 9,

'counterclockwise' should be changed to -clockwise--; line 11, 'transformer' should be changed to -transfer--; and line 14, '204' should be changed to -201--.

Page 16, line 5, '202' should be changed to -212--.

Art Unit: 2832

Only few of the deficiencies have been pointed out above, the applicant is required to review entire specification and make necessary corrections.

Claim Objections

5. Claims 8 and 9 are objected to because of the following informalities:

Claim 8, line 4 "there are provided a shock absorber..." should be corrected as "there is provided a shock absorber..."

Appropriate correction is required.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 8 and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Peek et al. (US 4.027.125).

Peek et al. disclose a gas insulated circuit breaker [Figures 1 – 4] with:

- a breaking section with moving and fixed contacts, that installed in a ground vessel [31] filled with insulation gas [Column 2, line 51];
- an operating device [79] with a closing operating section and a breaking operation section for close/break the fixed and moving contacts [Column 2. lines 50 –60]:

Art Unit: 2832

- a shock absorber [141 143] that absorbs the shock on the two
 contacts in the closing/breaking operations of the operating device
 [Column 5, lines 54 62];
- the shock absorber being installed in the breaking section of the operating device [Figure 4].

Regarding Claims 8 and 9, Peek et al. [Figure 4] disclose output lever [86] that is connected to the shock absorber, and the output lever rotates.

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
 obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 3 and 5/1 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peek et al. [US 4.027.125] in view of Opfer et al. [US 5.298,704].

Peek et al. disclose the instant claimed invention except for 'load resulting from the action is not applied to the shock absorber in the course of the action'.

Opfer et al. discloses an arrangement wherein a slot [34] is provided in linkage [Figures 2-4].

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a slot in the linkage in Peek et al., as suggested by

Art Unit: 2832

Opfer et al., in order to not to transfer the load to the shock absorber during the opening and closing movements [Column 1, lines 50 – 55].

 Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peek et al. [US 4,027,125] in view of Goodwin, Jr. et al. [US 3,932,719].

Peek et al. disclose the instant claimed invention except for a hydraulic type of a shock absorber.

Goodwin, Jr. et all disclose a multiple-impact shock-absorbing assembly for circuit interrupter and other apparatus with a hydraulic type of a shock absorber.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the hydraulic shock absorber in Peek et al., as suggested by Goodwin, Jr. et al, in order to absorb larger shock load.

Double Patenting

9. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F. 3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

 Claims 2, 4 and 5/2 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1, 2

Art Unit: 2832

and 3 of copending Application No. 10/117,126. Although the conflicting claims are not identical, they are not patentably distinct from each other because the all elements of claims 2, 4 and 5/2 are substantially identical to the elements of claims 1, 2 and 3 of copending application 10/117,126, respectively. Claim 2 of the instant application recites a gas insulated switch with a breaking section comprising fixed and moving contacts installed in a grounded vessel, an operating device comprising closing operation section and breaking operation section, a shock absorber that absorbs the shock in closing and breaking operations and the breaking operation section provided with a breaking spring and the shock absorber being installed in the breaking spring. These are the same elements recited in claim 1 of the co-pending application 10/117,126. Regarding claim 4, of the instant application, the claim recites the details of the piston, and the same elements are recited in claim 2 of the co-pending application 10/117,126. In the same manner, the elements recited by claim 5/2 of the instant application, are the same elements recited by claim 3 of the co-pending application 10/117,126.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marina Fishman whose telephone number is 703-305-1665. The examiner can normally be reached on 6-4 M-T.

Art Unit: 2832

Page 7

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin Enad can be reached on (703) 308-1782. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1920.

DOMARY FRAMINE

Marina Fishman December 2, 2003